




JANOME

SEWING MACHINE ACCESSORIES



Janome Sewing Machine Compatibility Quick Reference Guide

Use this quick reference guide to determine compatibility of an accessory with your Janome sewing machine.



A
Memory Craft 11000 /
Memory Craft 11000S Special Edition



B
Memory Craft Embroidery models
* Sewing accessories not available for embroidery machines.



C
Memory Craft models
with AcuFeed system
(7 mm max. width)



D
Memory Craft computer models
(7 mm max. width)



E
Top-loading models
(6.5-7 mm max. width)



F
Top-loading models
(5 mm max. width)



G
Front-loading models



H
Overlockers
*excl models 203,888




I
Cover stitch machines



J
High speed machines



K
Needle punching machines



L
Multi-needle embroidery machines



M
Combined overlock and
cover stitch machines



N
Memory Craft Embroidery models
with AcuFeed system
(9 mm max. width)



O
Memory Craft Embroidery models
(9 mm max. width)



P
Memory Craft models
with AcuFeed system
(9 mm max. width)




GENERAL SEWING MACHINE ACCESSORIES

General sewing machines are versatile and user friendly. Let Janome presser feet and accessories expand your sewing repertoire.




STRAIGHT STITCH FOOT





200-331-009	ABCDEF
200-125-008	G
202-083-009	NOP

The straight stitch foot is flat on the underside to provide even pressure against the feed dogs and it has a rounded needle hole which offers the benefit of more support around the needle to prevent skipped stitches and puckering.



ACUFEED STRAIGHT STITCH FOOT	
202-102-005	N P

APPLIQUE FOOT




This presser foot is shorter than most for easier maneuvering around curves and corners when sewing applique pieces. Made of clear plastic for easier viewing as you sew.

202-023-001	ABCDEF
202-086-002	NOP




ROLLER FOOT



As its name suggests this foot has rollers that roll against the fabric and act very much like the track on a bulldozer for sewing up and over heavy seams and uneven surfaces. Ideal for sewing heavy fabrics, the rollers move freely between the foot and the feed dogs so that the foot rides easily over varying thicknesses. Also used to sew sticky leathers and vinyl.

200-316-008	ABCDEF
200-142-001	G

DARNING FOOT



Sometimes referred to as the embroidery foot, the darning foot is used for 'free hand' embroidery and darning to ensure proper stitch formation, minimize skipped stitches and puckering and also protect your fingers while you move the fabric freely under the needle. Especially beneficial to those just learning how to do free hand embroidery. The open toe version greatly improves visibility of stitches and is especially popular with quilters.

(REGULAR)


200-325-000	ABC
200-349-000	DEF
200-127-000	G
859-839-002	NOP

(OPEN TOE)

200-337-005	ABC
200-340-001	DEF



ULTRA GLIDE FOOT




The ultra glide foot is molded from a special resin allowing easier sewing of fabrics that may otherwise stick to the standard metal foot such as ultra suede, faux leather and plastic.

200-329-004	ABCDEF
200-141-000	G
202-091-000	NOP



SATIN STITCH FOOT




For sewing dense zigzag stitching. The bottom of the foot is beveled for smooth delivery of thread when sewing decorative or satin stitches. Foot is made of clear plastic making it easier to view stitching.

822-804-129	ABCDEF
200-129-002	G*1
859-806-011	NOP

*1 Foot is made of metal.


GATHERING FOOT



This foot is for creating soft gathers in lightweight fabrics. The underside of the foot is raised behind the needle and has a thick bar in front of the needle to gather and attach a ruffle onto a flat piece of fabric simultaneously. Use a ruffler to obtain a more dramatic gather.


200-315-007	ABCDEF
200-124-007	G
202-096-005	NOP

CUSTOM CRAFTED ZIGZAG FOOT



The open toe on this foot allows a better view of the sewing in progress. This foot can be used for quilting, monogramming, applique, and cut work.


200-137-003	ABCDEF
859-813-000	NOP



ACUFEED OPEN TOE FOOT

846-410-003	C
202-149-004	N P

BINDER FOOT



The binder foot is used to apply pre-folded bias binding tape or bias tape you have cut yourself to the edge of fabric in one easy step. It is equipped with a small funnel to fold and guide the binding over the fabric edge before it reaches the needle and can be used with either zigzag or decorative stitches as well as straight stitch. 10 mm to 14 mm bias tape can be used.

200-313-005	ABCDEF
200-140-009	G
202-099-008	NOP




OVERCASTING FEET



OVEREDGE FOOT

Use with an overcasting stitch to allow thread to wrap around the edge of the fabric to prevent unraveling. The foot guides the fabric and keeps your edges flat by compensating for the lack of friction when the needle makes the right-most stitch.

822-801-001	ABCDEF
200-132-008	G




OVERCASTING FOOT / OVEREDGE FOOT


Use with the overlock stitch to give a professional finish to the edges of your seams. Particularly good for finishing off medium to heavyweight, easily frayed woven fabrics such as tweed, gabardine, and linen.

822-808-008	ABCD *1
859-810-007	NOP

*1 excl. MC3500, MC3000, 6260QC



BLIND HEM FOOT




Blind hemming can sometimes be a little bit tricky so the blind hem foot goes some way to helping improve this technique. The foot has a metal guide in the center and three grooves on the underside. During blind hemming, the fold of the fabric fits snugly against the guide in the foot for accuracy while the grooves underneath help to prevent unnecessary slipping. The needle swings over the metal guide creating slack in the upper tension so that the pick of the stitch is almost invisible.

825-817-009	ABCDEF
820-817-015	ABCDEF *1
200-130-006	G
859-807-001	NOP

*1 Foot is equipped with a screw.




ZIPPER FOOT



This foot can be set to sew on each side of the zipper. The edge of the foot guides the zipper to ensure straight placement.

(SNAP ON)


829-801-002	ABCDEF
940-290-000	G



Set the needle position left or right to sew on each side of the zipper.

(SNAP ON)


859-805-009	NOP
-------------	-----



Can also be used as piping foot for thicker piping including the heavy jumbo cord.

(SCREW ON)


200-334-002	ABC
200-342-003	DEFG



ACUFEED ZIPPER FOOT

202-128-007	N P
-------------	-----

CONCEALED ZIPPER FOOT



Good quality ready to wear garments will often have an invisible zip fitted. These zippers are often neglected by the home dressmaker which is a pity because they can ensure success every time. Invisible zips are suitable for all fabrics from fine silk jersey through to suit weight wools and tweeds. The key is to get the needle as close to the fastener as possible, which this foot accomplishes by slightly unrolling the zipper just before the needle. Once fitted, a well sewn invisible zipper will merely look like part of the seam.

200-333-001	ABCDEF
941-800-000	G
202-144-009	NOP

HEMMER FEET



The hemmer foot, sometimes referred to as the rolled hemmer, is used to stitch the narrow rolled hems usually found on shirt tails, table linens and along the edge of frills. The hemmer is designed with a scroll shaped feeder on top and a straight groove on the underside which determines the width of the finished hem. The 4 mm/6 mm set will allow for the use of heavier fabrics.

HEMMER FEET SET (4 mm & 6 mm hems)


200-326-001	ABCDEF
-------------	--------

HEMMER FOOT(4 mm)

202-081-007	NOP
-------------	-----


HEMMER FOOT(6 mm)

202-080-006	NOP
-------------	-----



ROLLED HEM FOOT

820-809-014	ABCDEF
202-044-008	G
859-804-008	NOP



ROUND HEMMER FOOT


202-043-007	G
-------------	---

ROTARY EVEN FOOT


323-77-77	ABCDEFG
-----------	---------

For use with all sewing machines, the rotary foot is effective for preventing stretchy fabrics, jersey and knitted fabrics and hard to feed materials like leather or vinyl, from slipping or puckering. The foot also allows left-right tilt and its caterpillars independently grip the fabric for perfect feeding along areas where there is a height difference between the left and right sides of the needle especially when hemming thicker fabrics.

*When using zigzag stitch, set the stitch width at a setting less than 5mm.
CAUTION: In order to avoid needle breakage, do not set stitch width at more than 5mm.



BLIND HEM ATTACHMENT



The blind hem attachment enables accurate feeding of the fabric to achieve a consistent blind hem.

BIAS TAPE ATTACHMENT



The bias tape sewing attachment is adjustable and enables you to attach folded bias tape up to 20 mm wide.

WIDE ROLLED HEM ATTACHMENTS




The wide rolled hem attachments enable wide rolled hems to be sewn in the following sizes: 1/2 inch, 3/4 inch, and 1 inch.



PINTUCKING FEET

The pintucking foot is used with a 2 mm twin needle to create multiple rows of pintucks. The grooves on the underside of the foot make it easy to stitch several rows parallel and evenly spaced from each other.



SET OF TWO FEET (narrow grooved and wide grooved)

200-317-009	ABCDEF
-------------	--------

SINGLE FOOT (shallow grooved only)

200-328-003	G
-------------	---

PINTUCKING FOOT (narrow)


202-094-003	NOP
-------------	-----

PINTUCKING (wide)

202-093-002	NOP
-------------	-----

PINTUCKING CORD GUIDES

The cord guide is attached in place of the clear plastic bobbin cover to feed perle cotton or other cord as you sew for easier corded pintucks. Two guides are included in the set: one for cord up to 1.5 mm in diameter and one for cord 1.5 - 2.5 mm in diameter.




503-813-008	A C ^{*1}	N P
200-324-009	B DEF ^{*2}	

^{*1} also 6260QC, 6125QC, 6019QC, MC6500P, 4120QDC, 3160QDC, 2160QDC, MyStyle 100

^{*2} excl. 6260QC, 6125QC, 6019QC, MC6500P, 4120QDC, 3160QDC, 2160QDC, MyStyle 100, DC6030

PIPING FOOT




If ready made piping cord is not available or if you just want to make your own, the piping foot is ideal for the job. The piping foot (sometimes mistakenly referred to as the cording foot) is designed with two grooves on the underside and will hold and cover the cord when making piping tape. It can also be used for attaching piping. Maximum cord size is 5 mm.

200-314-006	ABCDEF
202-088-004	NOP




RUFFLER



Rufflers have been around for a very long time and have changed very little over the years; they have however remained very popular. Although at first sight a ruffler may appear bulky and complicated, its innovative design actually makes it very easy to use. This design allows fabric to be ruffled or pleated to the desired fullness quickly and easily and also has the capability to vary the sizes of ruffles.

943-100-000	AB DEFG
943-100-207	AB DEFG
846-415-008	ABCDEFGF
202-095-004	NOP

BEADING FOOT



Sewing on strung beads and pearls has always been a tedious task but the beading foot now goes some small way to alleviating this and to add pleasure to embellishing. Popular for bridal wear, evening wear, smart/casual or crafts, the beading foot set is a blessing. There are two feet in the set: narrow groove for beads up to 2 mm in diameter and wide groove for beads 2.5 - 4 mm in diameter.

SET OF TWO FEET (narrow and wide)

200-321-006	ABCDEF
-------------	--------

BEADING FOOT (narrow)


202-097-006	NOP
-------------	-----

BEADING FOOT (wide)

202-098-007	NOP
-------------	-----




3-WAY CORDING FOOT



The 3-way cording foot will hold one, two or three fine cords or threads. Because they are attached to the foot, the required design can be easily followed and the cords are perfectly placed. A variety of utility or decorative stitches can be sewn over the cords to couch them onto base fabrics. The choice of cord, thread and stitch are all contributory factors to the final effect.

200-345-006	ABCDEF
200-126-009	G
202-085-001	NOP

RIBBON/SEQUIN FOOT





As with beads and pearls it is now so much easier to attach ribbons and even sequins with the help of our special ribbon/sequin foot. This foot is designed with guides through which ribbon or strung sequins can be inserted and it will allow them to feed through evenly as you sew. Besides affixing the ribbon, a wide ladder stitch can be used with narrow ribbon to make an easy and functional drawstring.

200-332-000	ABCDEF
202-090-009	NOP



BUTTONHOLE FEET



TRANSPARENT BUTTONHOLE FOOT

For sewing buttonholes on tight areas such as cuffs and other areas where more freedom of movement is required than available with a sliding-type buttonhole foot.

820-801-016	ABCDEF
202-082-008	NOP

SLIDING BUTTONHOLE FOOT

For easy 4-step buttonholes on front loading machines. (Sliding buttonhole foot included as standard accessory on all sewing machines with a 1-step buttonhole function.)


(REGULAR)

200-123-006	G
-------------	---

(WITH BUTTON SIZER)

200-134-000	G
-------------	---

BUTTON SEWING FOOT





Quick and easy button sewing with the special button sewing foot. This foot has two bars that attach to the foot shank to provide extra stability and also has a textured, rubber sleeve to hold the button securely in place while sewing.

200-136-002	ABCDEF
200-131-007	G
859-811-008	NOP

1/4 INCH SEAM FOOT



A popular foot with patchworkers for that essential 1/4 inch seam. The guide on the foot enables you to sew a perfect 1/4 inch seam every time. The guide can also be used wherever a 1/4 inch seam is called for but the markings on the needle plate cannot be used, such as when completing a flat-felled seam.



ACUFEEED 1/4 INCH SEAM FOOT AND NEEDLE PLATE

846-407-007

C

* The needle plate only compatible with MC6600P

200-318-000	ABCDEF
200-330-008	G
859-814-001	NOP

ACUFEEED QUILT PIECING FOOT

202-031-002

C



202-125-004

N P

DITCH QUILTING FOOT



A very useful addition to the sewing room when wanting a perfectly straight "stitch in the ditch". The guide on the foot spreads the seams allowing you to stitch perfectly in the ditch, and is also useful when adding decorative top stitching along seams.



ACUFEEED DITCH QUILTING FOOT

200-341-002	ABCDEF
202-087-003	NOP

846-413-006

C


202-103-006

N P






CLEAR VIEW QUILTING FOOT AND GUIDE SET



An essential set for all quilters because it covers a range of quilting tasks through the attachment or removal of two fabric guides and the use of a clear view foot. Create accurate 1/4" seams with the 1/4" guide, or remove the guide to make a 1/8" seam for miniature piecing using the handy markings on the clear foot. To decorate your quilt, attach the center guide to ensure a neat "stitch in the ditch" for the perfect finishing touch.

200-449-001	ABCDE
202-089-005	NOP



Simply attach the 1/4" fabric guide which aligns with the edge of the material to produce an accurate 1/4" seam with ease. The oval hole in the clear view foot allows for needle adjustment of up to 1 mm to create a scant 1/4" seam.



Add dimension to your quilt using the "stitch in the ditch" technique. The center guide attached to the foot spreads the seams to create perfect stitching in the ditch. Don't stop with straight ditch stitching - experiment with decorative stitches for eye-catching embellishment.




Some quilting techniques may require you to sew with some fabric under the fabric guide, so use the clear view foot without a guide to help the fabric move easily under the foot. The markings on the foot act as a guide for 1/4" and 1/8" seams.

EVEN FEED FOOT



The even feed foot, sometimes referred to as the walking foot, is designed with a set of feed dogs (teeth) which allow the fabric to feed without shifting and eliminates the problems of the underlayer of fabric coming up short. The even feed foot is great for topstitching which can be spoilt due to irregularity of stitching. Also includes metal quilting guide.




EVEN FEED FOOT WITH QUILTING GUIDE (REGULAR)

200-309-008	ABC
200-311-003	DEF
200-310-002	G

EVEN FEED FOOT WITH QUILTING GUIDE (OPEN TOE)


200-338-006	ABC
200-339-007	DEF



CONVERTIBLE EVEN FEED FOOT SET

The set includes even foot unit, open toe foot, ditch quilting guide and adjustable quilting guide bar.

214-516-003	AB
214-517-004	DE
202-133-005	O





DITCH QUILTING GUIDE AND ADJUSTABLE QUILTING GUIDE SET

A separate quilting guide bar and ditch quilting guide bar set is available for those who already own the even feed foot.

214-518-005	For even feed foot
-------------	--------------------

LONG QUILTING GUIDE BAR SET




This set includes two guides that can be attached to the left or right of the needle to create parallel rows of stitching approximately two times wider than rows made with the regular quilting guide. Just snap one of the guides into place at the back of the even feed foot and adjust the distance from the needle as required. The guides can also be inserted into a regular foot holder.

202-025-003	ABCDEF	NOP
-------------	--------	-----



CONVERTIBLE FREE MOTION QUILTING FOOT SET



This set includes three feet that can be used with a variety of fabrics for free motion quilting projects. Select the most appropriate foot for the task and attach to the foot holder with a quick screw adjustment. The height of all feet can also be adjusted so they glide effortlessly over layers of fabric.

202-001-003	ABC	
202-002-004	DE	
202-146-001*	ABC	OP

* This set is for use with the left needle position and also includes a clear view foot for center needle position.

CLOSED-TOE FOOT



Convenient for lace and other fabrics that catch on an open toe, this general use foot is also good for holding the fabric in front of the needle.

OPEN-TOE FOOT




Also for general use, but with greater visibility around the needle to assist formation of a precise design.

CLEAR VIEW FOOT



The clear view foot moves smoothly over uneven layers such as fabric with cording or ribbon, and can also be used with zigzag stitches.

BOBBIN HOLDER FOR FREE QUILTING AND HAND-LOOK STITCHING



Couple the convertible FMQ foot with this handy bobbin holder preset with lower tension to make it even easier to achieve even tension control.


200-445-007	A C *1	NOP
-------------	--------	-----

*1 also MC6500P, DC6030, 4120QDC and 3160QDC

202-006-008	B DE*2	
-------------	--------	--

*2 excl. MC6500P, DC6030, 4120QDC and 3160QDC


FREE MOTION COUCHING FOOT SET



Enjoy embellishing your work with cords, strips and yarns by free-motion stitching. Zigzag stitch makes it easy to sew on any line or shape precisely. Two different feet are included to match material thickness.

202-110-006	A C	NOP
-------------	-----	-----

BORDER GUIDE FOOT




Create evenly spaced rows of decorative stitching with this border guide set. The horizontal red line matches up the needle drop of each row and the vertical red lines allow accurate positioning of one row with another.

200-434-106	ABCDEF
202-084-000	NOP



QUILT BINDER SET



Use the quilt binder set to produce 1/2" binding which can handle quilt fabric and other thick fabrics. Adjust the two upper screws to align the binding's top and bottom folds with the needle for extra precision. The set creates straight line binding for large quilts and also adds an eye-catching accent to any small items such as placemats and hot pads.

846-421-007	A C*1
202-101-004	N P

*1 also MC6500P

